



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Week ended June 5.

Total rats taken.....	517
Trapped.....	483
Killed by sulphur dioxide.....	34
Found dead.....	0
Examined bacteriologically.....	392
Plague infected.....	0
Classification of rats trapped:	
Mus alexandrinus.....	56
Mus musculus.....	219
Mus norvegicus.....	91
Mus rattus.....	117
Classification of rats killed by sulphur dioxide:	
Mus alexandrinus.....	19
Mus norvegicus.....	7
Mus rattus.....	8
Average number of traps set daily.....	1, 294

HONDURAS.

Report from Ceiba, fruit port—Sanitary work—Stegomyia present.

Acting Assistant Surgeon Jumel reports:

Week ended June 16. Present officially estimated population, 6,800. General sanitary condition of this port and the surrounding country during the week, good.

Several hundred cart loads of empty bottles, old tin cans, and garbage removed from town limits. The town is apparently cleaner now than it has been at any period during the present season. Many defects in surface drains are being corrected. *Stegomyia calopus* present.

Bills of health issued to the following-named vessels:

Date.	Vessel.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage disinfected.
June 11	Harald.....	18	0	0	0
11	Rosina.....	33	2	0	0
11	Navigator.....	21	1	0	0
15	Vinland.....	16	0	0	0
16	Fjell.....	16	0	0	0
16	Elsie Louise ^a	5	0	0	0

^a Not certified; consular bills of health viséed.

Temperature of all persons on above-named vessels taken at time of clearance.

Reports from Puerto Cortez, fruit port^a—Mosquitoes.

Acting Assistant Surgeon Wailes reports as follows:

Week ended June 1. Present officially estimated population, about 2,500. General sanitary condition of this port and the surrounding country not reported. Weather excessively hot; no rain for more than a month. Mosquitoes (*Anopheles*) in great numbers. *Stegomyia* scarce. No quarantinable disease.

^a Received out of order.

Bills of health issued to the following-named vessels:

Date.	Vessel.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage disinfected.
May 27	Bodo.....	17	0	0	0
28	Agnella.....	18	0	0	0
June 1	Preston.....	31	0	0	0

Week ended June 15. General sanitary conditions of this port and the surrounding country not reported. No quarantinable disease.

Bills of health issued to the following-named vessels:

Date.	Vessel.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage disinfected
June 12	Utstein.....	17	0	0	0
14	Imperator.....	21	5	0	0
12	Fjell.....	17	0	0	0
15	Preston.....	31	4	0	0

Sanitary conditions at Puerto Cortez.

Doctor Wailes further reports:

Puerto Cortez is situated on a narrow perinsula scarcely exceeding 1 mile in width at any point and extending $3\frac{1}{2}$ miles east and west, having deep water and open sea along the entire length on both sides. The land, while heavily timbered, is, like all the low coast lands of Central America, densely covered with a luxuriant undergrowth and studded with low, swampy ponds and marshes, never dry, which are breeding places for mosquitoes. This condition prevails particularly in the immediate vicinity of the town of Puerto Cortez. A few years ago the authorities had the brush cleared to a distance of about 200 feet back of the town, with the result of a marked improvement in conditions as far as the prevalence of mosquitoes and malaria was concerned. Later the work of clearing, draining, ditching, and raising the grade of the town from the sea front was undertaken by contract. This was carried out to the extent of about one-fourth of the work proposed, but the work has stopped and the land has been allowed to grow up again in bush.

The piping of water from the hills, a distance of about 3 miles, has been completed, but the reservoir and pipes have become fouled, and the water is deficient in quantity and not potable. The town has now no supply but that from cisterns and barrels, which are not screened or otherwise protected. Mosquitoes are abundant.

General health is good, and the death rate is not high. Health conditions among the crews of vessels lying at the wharves are also good. There have been no serious cases of malaria among them.

Report from Tela, fruit port.

Acting Assistant Surgeon Roe reports:

Week ended June 12. Present officially estimated population, about 1,500. General sanitary condition of this port and the surrounding country during the week, good.